




Геологические процессы в обстановках субдукции, коллизии и скольжения литосферных плит

Материалы VI Всероссийской конференции
с международным участием



МИНИСТЕРСТВО НАУКИ И ВЫСШЕГО ОБРАЗОВАНИЯ
РОССИЙСКОЙ ФЕДЕРАЦИИ
ФЕДЕРАЛЬНОЕ ГОСУДАРСТВЕННОЕ БЮДЖЕТНОЕ УЧРЕЖДЕНИЕ НАУКИ
ДАЛЬНЕВОСТОЧНЫЙ ГЕОЛОГИЧЕСКИЙ ИНСТИТУТ
ДАЛЬНЕВОСТОЧНОГО ОТДЕЛЕНИЯ РОССИЙСКОЙ АКАДЕМИИ НАУК

ГЕОЛОГИЧЕСКИЕ ПРОЦЕССЫ В ОБСТАНОВКАХ СУБДУКЦИИ, КОЛЛИЗИИ И СКОЛЬЖЕНИЯ ЛИТОСФЕРНЫХ ПЛИТ

VI Всероссийская конференция с международным участием

Владивосток, 19-22 сентября 2023

Материалы конференции

Владивосток



2023

© ДВГИ ДВО РАН, 2023

© Оформление. ФГАОУ ВО ДВФУ, 2023

ISBN 978-5-7444-5547-7

MINISTRY OF SCIENCE AND HIGHER EDUCATION
OF THE RUSSIAN FEDERATION
FAR EAST GEOLOGICAL INSTITUTE
FAR EASTERN BRANCH
RUSSIAN ACADEMY OF SCIENCES

**GEOLOGICAL PROCESSES IN THE LITHOSPHERIC
PLATES SUBDUCTION, COLLISION AND SLIDE
ENVIRONMENTS**

VI Russian Scientific Conference with foreign participants

Vladivostok 19-22 September, 2023

Proceedings

Vladivostok



2023

© FEGI FEB RAS, 2023
© Design. FEFU, 2023
ISBN 978-5-7444-5547-7

Председатель программного комитета академик А.И. Ханчук

Геологические процессы в обстановках субдукции, коллизии и скольжения литосферных плит. VI Всероссийская конференция с международным участием, Владивосток, 19–22 сентября 2023 г. : материалы конференции / Дальневосточный институт геологии ДВО РАН. – Владивосток : Изд-во Дальневост. федерал. ун-та, 2023. – 1 CD-ROM ; [492 с.]. – Загл. с титул. экр. – ISBN 978-5-7444-5547-7. – DOI <https://doi.org/10.24866/7444-5547-7>. – Текст. Изображение : электронные.

В представленных материалах конференции обобщены оригинальные фактические данные отечественных и зарубежных исследователей. Тематика докладов включает различные аспекты изучения геологических процессов в зонах субдукции и скольжения литосферных плит: динамику взаимодействия, геологическое строение, стратиграфию и литологию, особенности магматизма, метаморфизма и рудообразования. Обсуждаются данные, полученные с использованием математического моделирования, GPS-наблюдений, геофизических, спутниковых и других современных методов. По диапазону возраста охвачена практически вся история Земли – от раннего докембрия до современности. Разносторонность представленных материалов позволяет комплексно охарактеризовать геологические процессы описываемых геодинамических обстановок.

Материалы опубликованы в авторской редакции. Авторы несут полную ответственность за достоверность приведенных сведений, отсутствие данных, не подлежащих открытой публикации, и точность информации по цитируемой литературе. Некоторые материалы прошли техническое редактирование без извещения авторов.

Текстовое электронное издание

Минимальные системные требования:
процессор с частотой 1,3 ГГц (Intel, AMD); оперативная память 256 МБ,
свободное место на винчестере 335 МБ; Windows (XP; Vista; 7 и т.п.)

Программное обеспечение:
Acrobat Reader, Foxit Reader либо любой другой их аналог

Редакторы:

И.А. Александров, Л.Г. Бондаренко, А.В. Гребенников,
С.А. Касаткин, В.В. Раткин, А.А. Чащин, И.Ю. Чекрыжов.

Дальневосточный федеральный университет
690922, Приморский край, г. Владивосток, о. Русский, п. Аякс, 10
Тел./факс: 8 (423) 226-54-43
E-mail: dvfutip@yandex.ru, prudkoglyad.sa@dvfu.ru

Изготовитель CD-ROM:
Дальневосточный федеральный университет,
690922, Приморский край, г. Владивосток, о. Русский, п. Аякс, 10

Подписано к использованию 20.08.2023 г.
Объем 51,10 Мб. Тираж 50 экз.

UDC 551.24:552.11:552.14:552.16:553(082)
LBC 26.31я43

Program Committee Chairman
A.I. Khanchuk, Academician of the Russian Academy of Sciences

Geological Processes in the Lithospheric Plates Subduction, Collision and Slide Environments. Sixth Russian scientific conference with foreign participants, Vladivostok, Russia, 20–23 September 2021 : Proceedings / Far East Geological Institute of the Far Eastern Branch Russian Academy of Sciences. – Vladivostok : Publishing House of the Far Eastern Federal University, 2021. – 1 CD-ROM; [p.]. – Screen title. – ISBN 978-5-7444-5547-7. – DOI <https://doi.org/10/24866-7444-5547-7>. – Text. Image: electronic.

Conference materials summarize original factual data by Russian and foreign scientists. The participants reported on various aspects of geological processes in zones of subduction, collision and sliding of lithospheric plates: interaction dynamics, geological structure, stratigraphy and lithology, characteristic magmatism, metamorphism and ore formation. The results presented in this book were obtained by means of mathematic modeling, GPS observations, geophysical, satellite, and other modern methods of research. The time span of conference presentations covers actually the entire Earth history, from Early Precambrian to contemporary period. Diverse information discussed at the conference provides complex characteristics of geological processes taking place in the described geological environments.

The materials were published in the author's edition. The authors are fully responsible for the authenticity of the information provided, the absence of the material that is not subject to open publication, and the preciseness of the data on the cited literature. Some papers were technically and typographically edited without notifying the authors.

Text electronic edition

Minimum System Requirements:
Web browser Internet Explorer 6.0 or higher, Opera version 7.0 or higher,
Google Chrome version 3.0 or higher)

Editors:

I.A. Alexandrov, L.G. Bondarenko, A.V. Grebennikov,
S.A. Kasatkin, V.V. Ratkin, A.A. Chashchin, I.Yu. Chekryzhov

Signed for use on 20.08.2023
Volume 51, 10 Mb Circulation 50 copies

Far Eastern Federal University
690922, Primorsky Territory, Vladivostok, i. Russian, p. Ajax, 10
Tel.: 8 (423) 226-54-43
E-mail: dvfutip@yandex.ru, prudkoglyad.sa@dvfu.ru

CD-ROM Manufacturer:
Far Eastern Federal University
690922, Primorsky Territory, Vladivostok, i. Russian, p. Ajax, 10

© FEGI FEB RAS, 2023
© Design. FEFU, 2023

GREYWACKE SANDSTONES AS ARCHIVES OF ARC MAGMATISM AND ARC EROSION: IMPLICATION FROM SEVERAL CASE STUDIES IN THE WESTERN CAOB

I.Y. Safonova¹, A.A. Perfilova²

*¹South-West Jiaotong University, FGEE, Chengdu, Sichuan, China,
e-mail: inna03-64@mail.ru*

²Novosibirsk State University, Novosibirsk

Proportions of juvenile and recycled crust in intra-continental orogenic belts formed in place of paleo-oceans as a key issue of tectonic and metallogenic paleo-reconstructions. Major sites of the growth of juvenile continental crust are intra-oceanic arcs at Pacific-type convergent margins [1]. However, island-arc igneous complexes can disappear from the geological record because of tectonic erosion [2]. Erosion of magmatic arc leaves either clastic rocks, typically greywacke sandstones, often parts of trench/fore-arc/back-arc turbidite associations.

For reconstructing ancient Pacific-type convergent margins, we must know which types of arcs existed that time: intra-oceanic or continental. Fossil Pacific-type orogenic belts typically exhibit very complicated relationships between different lithologies, often with few, if any, outcrops of arc igneous rocks. We reconstructed fossil intra-oceanic arcs in central and eastern Kazakhstan, which existed at Pacific-type convergent margins of the Paleo-Asian Ocean (PAO) in Paleozoic time. Our reconstructions are based on published and new U-Pb detrital zircon ages, petrographic, geochemical and isotope (Sm-Nd, Lu-Hf) data from greywacke sandstones hosted by accretionary complexes of central and eastern Kazakhstan in comparison with data from arc igneous rocks, in particular, with those occurring as fragments in serpentinite mélangé.

Four orogenic belts of the western Central Asian Orogenic belt are under consideration: Itmurundy and Tekturmas in central Kazakhstan (early Paleozoic) and Zharma and Char in eastern Kazakhstan (middle-late Paleozoic). All orogenic belts formed at active margins of the PAO. Study of greywacke sandstones represent a valuable instrument for reconstructing survived and disappeared magmatic arcs taking into account episodes of subduction erosion [3]. In addition, the role of serpentinite is also very important for the reconstruction of episodes of tectonic erosion. We argue that (1) all sandstones hosted by accretionary complexes are greywackes deposited close to their igneous sources and buried rapidly; (2) their provenances are dominated by mafic to andesitic igneous rocks; (3) the parental melts of their igneous protoliths were derived from juvenile mantle sources; (4) the igneous protoliths are typically emplaced in intra-oceanic arc settings; (5) the sandstones get deposited in fore-arc/trench basins or, to a lesser degree, in back-arc basins [4].

The data from sandstones and serpentinite mélangé allowed us to reconstruct middle-late Cambrian and Ordovician arcs in the Itmurundy and Tekturmas belts and late Devonian and Carboniferous arcs in the Zharma and Char belts. The obtained results clearly show signatures of subduction erosion in both early and late Paleozoic times. Evidence for this comes from (1) disappearance of certain peaks of U-Pb ages in younger sandstones compared to older ones (Tekturmas, Char, Zharma); (2) scarce/small outcrops of arc igneous complexes (Itmurundy, Char); (3) presence of pieces of arc rocks in serpentinite mélangé (Itmurundy, Tekturmas, Char); (4) magmatic lulls [3]. The middle-late Cambrian arcs (Itmurundy, Tekturmas) were fully destroyed by subduction erosion. The Ordovician arc survived better, but that of the Itmurundy belt was stronger destroyed compared with the coeval arc of the Tekturmas belt. The late Devonian arc of the Zharma belt better survived than that of the Char belt. Both, the early and late Paleozoic active margins of the PAO were characterized by alternating periods of accretionary growth and subduction erosion [4].

*The study was supported by the **Russian Science Foundation (#21-77-20022)**, Fundamental Research Funds for the Central Universities of China (#2682023CX016), and Ministry of Science and Education of Russia (State Assignment Project #FSUS-2020-0039).*

REFERENCES

1. **Stern R.** The anatomy and ontogeny of modern intra-oceanic arc systems. In: Kusky T.M., Zhai M.G., Xiao W. (Eds.). *The Evolving Continents: Understanding Processes of Continental Growth* / Geological Society, London, Special Publications. London: Lyell. 2010. P. 7–34.
2. **Safonova I.Y., Khanchuk A.I.** Subduction erosion at Pacific-type convergent margins // *Russian Journal of Pacific Geology*. 2021. V. 40. N 6. P. 3–19.
3. **Isozaki Y., Maruyama S., Fukuoka F.** Accreted oceanic materials in Japan // *Tectonophysics*. 1990. V. 181. P. 179–205.
4. **Safonova I., Perfilova A.** Survived and disappeared intra-oceanic arcs of the Paleo-Asian Ocean: evidence from Kazakhstan // *National Science Review*. 2023. V. 10. nwac215.